



## MANOSKOP® 714

Electromechanical angle-controlled torque wrench



to be configured and managed easily and quickly.



 Indicator lamps clearly visible from all sides.
Optional extras: Li-lonen battery No 7195-2 and charger No 7160.

## MANOSKOP® 714 HIGH-DEFINITION. High-definition graphical colour display with additional side-mounted indicator lamps. HIGH-GRADE. Durable quality -Made in Germany. ACCURATE. MANOSKOP: 714/10 10 - 100 Nm 7.5 - 75 R.ID 7.5 - 75 R.ID 90 In.Ib MADE IN GERMANY 90 - 900 In.Ib Display deviation value $\pm$ 2% for torque and $\pm$ 1% for angle. • STAHLWILLE\*• FAST. MULTISENSORY. Tactile and acoustic trigger Fast, accurate setting via keypad. signals. Electro-mechanical click function. PROTECTED. Own ident number can be stored in the wrench. LOGGING. Up to 200 joints can be programmed in up to 25 sequences. CONFIGURABLE. Includes SENSOMASTER software Micro USB interface for a high number (10.000) of mating cycles. for easy configuration of the tool. Enables joints and work sequences

## **BENEFITS AT A GLANCE**

- Indicating and click-type
- 4 measuring methods (torque, angle, torque backed up by angle, angle backed up by torque)
- Freely configurable menu structure
- Includes SENSOMASTER software for easy configuration of the tool
- 3 function modes: click-type, peak (indicating mode displaying peak reading) and track (indicating mode displaying current value)
- Angle-controlled measurement without a reference arm
- Data storage (≤ 2,500 tightening jobs)
- Acoustic and visual assessment of the joint
- Clockwise and anticlockwise tightening
- Tactile and acoustic trigger signals
- Torque and angle are simultaneously visible
- All readings are independent of the point of application of force with sizes 1, 2 and 4
- Patented
- Display deviation value ± 2% for torque and ± 1% for angle



Fully-automated calibration and adjustment of torque and angle using the perfectControl calibrating unit No 7794-3.



STAHLWILLE Eduard Wille GmbH & Co. KG Lindenallee 27 · 42349 Wuppertal · Germany Tel.: +49 202 4791-0 · Fax: +49 202 4791-200

91 97 91 12

Printed in Germany Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG Wuppertal - 0,5/04/16 PAF